Application No.: Unknown Docket No.: PE0649 US DIV7

## Page 2

## **Amendments to Claims**

1. (Original) An organic electronic device comprising an emitting layer wherein at least 20% by weight of the emitting layer comprises at least one compound having a formula below:


where:

x = 0 or 1, y = 0, 1 or 2, and z = 0 or 1, with the proviso that: x = 0 or y + z = 0 and when y = 2 then z = 0;

L' = a bidentate ligand or a monodentate ligand, and is not a phenylpyridine, phenylpyrimidine, or phenylquinoline; with the proviso that: when L' is a monodentate ligand, y+z=2, and when L' is a bidentate ligand, z=0;

L" = a monodentate ligand, and is not a phenylpyridine, and phenylpyrimidine, or phenylquinoline; and

La, Lb and Lc are alike or different from each other and each of La, Lb and Lc has structure (I) below:



wherein:

adjacent pairs of R<sub>1</sub>-R<sub>4</sub> and R<sub>5</sub>-R<sub>8</sub> can be joined to form a five- or six-membered ring,

at least one of  $R_1$ - $R_8$  is selected from F,  $C_nF_{2n+1}$ ,  $OC_nF_{2n+1}$ , and  $OCF_2X$ , where n=1-6 and X=H, Cl, or Br, and

A = C or N, provided that when A = N, there is no  $R_1$ .

- 2. (Original) The device of Claim 1 wherein x = 1, y = 0, and z = 0.
- 3. (Original) The device of Claim 2 wherein A = C and none of  $R_1$ - $R_8$  is selected from nitro.
  - 4. (Original) The device of Claim 1 wherein R<sub>3</sub> is CF<sub>3</sub>.
- 5. (Original) The device of Claim 4 wherein at least one of  $R_5$ - $R_8$  is selected from F,  $C_nF_{2n+1}$ ,  $OC_nF_{2n+1}$ , and  $OCF_2X$ , where n=1-6 and X=H, Cl, or Br.

Application No.: Unknown Docket No.: PE0649 US DIV7

Page 3

6. (Original) The device of Claim 2 wherein A=C,  $R_3=CF_3$ ,  $R_7=F$ , and  $R_1$ ,  $R_2$ ,  $R_4$ - $R_6$  and  $R_8=H$ .

- 7. (Original) The device of Claim 2 wherein A = C,  $R_3$  and  $R_6 = CF_3$ , and  $R_1$ ,  $R_2$ ,  $R_4$ ,  $R_5$ ,  $R_7$  and  $R_8 = H$ .
- 8. (Original) The device of Claim 2 wherein A = C,  $R_3 = CF_3$ ,  $R_6$  and  $R_8 = F$ , and  $R_1$ ,  $R_2$ ,  $R_4$ ,  $R_5$ , and  $R_7 = H$ .
- 9. (Original) The device of Claim 1 wherein x = 0 and y = 1 having a structure (VI) below:

$$CH_3$$
 $CC_2H_5$ 
 $CF_3$ 
 $CO_2H_5$ 

10. (Original) An organic electronic device comprising an emitting layer wherein the emitting layer comprises a diluent and less than 20% by weight of at least one compound that has a formula below:

where:

La, Lb and Lc are alike or different from each other and each of La, Lb and Lc has structure (I) below:

$$R_{7}$$
 $R_{8}$ 
 $R_{5}$ 
 $R_{1}$ 
 $R_{2}$ 
 $R_{3}$ 
 $R_{4}$ 
 $R_{4}$ 
 $R_{5}$ 
 $R_{1}$ 
 $R_{2}$ 
 $R_{3}$ 
 $R_{4}$ 

wherein:

Application No.: Unknown

Docket No.: PE0649 US DIV7 Page 4

adjacent pairs of R<sub>1</sub>-R<sub>4</sub> and R<sub>5</sub>-R<sub>8</sub> can be joined to form a five- or six-membered ring,

at least one of  $R_1$ -R8 is selected from F,  $C_nF_{2n+1}$ ,  $OC_nF_{2n+1}$ , and  $OCF_2X$ , where n=1-6 and X=H, Cl, or Br, and

A = C or N, provided that when A = N, there is no  $R_1$ .

- 11. (Original) The device of Claim 10 wherein the diluent is selected from poly(N-vinyl carbazole), polysilane, 4,4'-N,N'-dicarbazole biphenyl, and tertiary aromatic amines.
- 12. (Original) The device of Claim 1, further comprising a hole transport layer selected from N,N'-diphenyl-N,N'-bis(3-methylphenyl)-[1,1'-biphenyl]-4,4'-diamine (TPD), 1,1-bis[(di-4-tolylamino) phenyl]cyclohexane (TAPC), N,N'-bis(4-methylphenyl)-N,N'-bis(4-ethylphenyl)-[1,1'-(3,3'-dimethyl)biphenyl]-4,4'-diamine (ETPD), tetrakis-(3-methylphenyl)-N,N,N',N'-2,5-phenylenediamine (PDA), α-phenyl-4-N,N-diphenylaminostyrene (TPS), p-(diethylamino)benzaldehyde diphenylhydrazone (DEH), triphenylamine (TPA), bis[4-(N,N-diethylamino)-2-methylphenyl](4-methylphenyl)methane (MPMP), 1-phenyl-3-[p-(diethylamino)styryl]-5-[p-(diethylamino)phenyl] pyrazoline (PPR or DEASP), 1,2-trans-bis(9H-carbazol-9-yl)cyclobutane (DCZB), N,N,N',N'-tetrakis(4-methylphenyl)-(1,1'-biphenyl)-4,4'-diamine (TTB), porphyrinic compounds, and combinations thereof.
- 13. (Original) The device of Claim 1, further comprising an electron transport layer selected from tris(8-hydroxyquinolato)aluminum, 2,9-dimethyl-4,7-diphenyl-1,10-phenanthroline (DDPA), 4,7-diphenyl-1,10-phenanthroline (DPA), 2-(4-biphenylyl)-5-(4-t-butylphenyl)-1,3,4-oxadiazole (PBD), 3-(4-biphenylyl)-4-phenyl-5-(4-t-butylphenyl)-1,2,4-triazole (TAZ), and combinations thereof.
  - 14. (Canceled)
  - 15. (Canceled)
  - 16. (Canceled)
  - 17. (Canceled)
- 18. (Original) The device of Claim 17 wherein the diluent is selected from poly(N-vinyl carbazole), polysilane, 4,4'-N,N'-dicarbazole biphenyl, and tertiary aromatic amines.
  - 19. (Canceled)
  - 20. (Canceled)
  - 21. (Original) A compound having structure VII below:

Application No.: Unknown Docket No.: PE0649 US DIV7

Page 5

$$\begin{array}{cccc}
L_{p} & B & L_{c} \\
L_{p} & O & L_{d} \\
L_{p} & I_{p} & I_{p} \\
L_{p} & I_{p} & I_{p} \\
I_{p} & I_{p} & I_{p} \\
I_{$$

wherein:

 $B = H, CH_3, or C_2H_5;$ La, Lb, Lc, and Ld are the same or different from each other; and each of La, Lb, Lc, and Ld has structure (I) below:

$$R_{7}$$
 $R_{8}$ 
 $R_{5}$ 
 $R_{1}$ 
 $R_{2}$ 
 $R_{3}$ 
 $R_{3}$ 
 $R_{4}$ 
 $R_{4}$ 

wherein:

adjacent pairs of R<sub>1</sub>-R<sub>4</sub> and R<sub>5</sub>-R<sub>8</sub> can be joined to form a five- or sixmembered ring,

at least one of  $R_1$ - $R_8$  is selected from F,  $C_nF_{2n+1}$ ,  $OC_nF_{2n+1}$ , and  $OCF_2X$ , where n = 1-6 and X = H, Cl, or Br, and

A = C or N, provided that when A = N, there is no  $R_1$ .

22. (Original) The compound of Claim 21 wherein:

$$\Gamma a = \Gamma p = \Gamma c = \Gamma q;$$

B = H;

 $R_3 = CF_3$ ;

 $R_7 = F$ ;

 $R_1$ ,  $R_2$ ,  $R_4$ - $R_6$  and  $R_8 = H$ .